

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	"6212190".pn. and carrier	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 17:19
L2	0	"6934768".pn. and carrier	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 17:19
L1	1	"6934768".pn. and (computer software) with program	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 17:18
S11 5	0	"6934768".pn. and compar\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 17:45
S11 4	0	"6934768".pn. and compar\$3 with size	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 17:45
S11 3	0	"6934768".pn. and compar\$3 with mtu	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 17:45
S11 2	1	"6934768".pn. and mtu with chang\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 17:45
S11 1	1	"6934768".pn. and (differ\$ larger) with mtu with target	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 17:44
S10 3	1	"6934768".pn. and (period\$8 interval)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 17:43
S11 0	14	S105 and ("709" "370" "455"). clas.	USPAT	OR	ON	2005/08/28 16:19

S105	16	(final last) adj5 fragment same (mtu maximum with size max with size)	USPAT	OR	ON	2005/08/28 16:19
S109	0	S105 and mtu.ti.	USPAT	OR	ON	2005/08/28 16:18
S108	2	S105 and (mtu fragment).ab.	USPAT	OR	ON	2005/08/28 16:18
S107	0	(final last) adj5 fragment with (adjust\$3 chang\$3 modif\$9 reset\$4) same (mtu maximum with size max with size)	USPAT	OR	ON	2005/08/28 16:17
S106	0	(final last) adj5 fragment same (adjust\$3 chang\$3 modif\$9 reset\$4) same (mtu maximum with size max with size)	USPAT	OR	ON	2005/08/28 16:17
S104	1	"6212190".pn. and (period\$8 interval)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 16:14
S102	1	"6934768".pn. and optim\$9	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:53
S101	1	"6934768".pn. and fragment with mtu	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:49
S100	0	"6934768".pn. and fragment with (exceed larg\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:45
S99	0	"6934768".pn. and fragment with (exceed larg\$3) with mtu	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:45
S98	1	"6934768".pn. and end with (fragment message)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:44
S97	0	"6934768".pn. and (final\$ last\$)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:08

S96	0	"6934768".pn. and (final last)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:08
S95	0	"6934768".pn. and (final last) with message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:08
S94	0	"6934768".pn. and (final last) with fragment	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:07
S93	1	"6934768".pn. and (sync "sync") adj2 message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 15:07
S92	1	"6934768".pn. and sync adj2 message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/28 14:45
S91	0	S86 not "6934768".pn. and (fragment\$ datagram) same (bit flag)	USPAT	OR	ON	2005/08/27 16:36
S90	0	S86 not "6934768".pn. and (fragment\$ datagram) same generat\$2	USPAT	OR	ON	2005/08/27 16:36
S86	7	cluster\$ with (server node system computer) same (chang\$3 modif\$ adjust\$3) with (mtu (fragment\$7 with (size parameter variable)) ((max maximum) with size))	USPAT	OR	ON	2005/08/27 16:36
S89	0	S86 not "6934768".pn. and fragment\$ same generat\$2	USPAT	OR	ON	2005/08/27 16:35
S88	0	S86 not "6934768".pn. and fragment\$ same (bit flag)	USPAT	OR	ON	2005/08/27 16:35
S87	0	S86 not "6934768".pn. and fragment\$ with (bit flag)	USPAT	OR	ON	2005/08/27 16:35
S85	71	cluster\$ with (server node system computer) and (chang\$3 modif\$ adjust\$3) with (mtu (fragment\$7 with (size parameter variable)) ((max maximum) with size))	USPAT	OR	ON	2005/08/27 16:34

S84	71	cluster\$ with (server node system computer) and (chang\$3 modif\$ adjust\$3) with (mtu fragment\$7 with (size parameter variable) (max maximum) with size)	USPAT	OR	ON	2005/08/27 16:34
S83	2	cluster\$ with (server node system computer) and (chang\$3 modif\$ adjust\$3) with mtu	USPAT	OR	ON	2005/08/27 16:32
S82	1	cluster\$ with (server node system computer) same (chang\$3 modif\$ adjust\$3) with mtu	USPAT	OR	ON	2005/08/27 16:31
S81	1	("6047323" "6108699" "6119163" "6192417" "6292905").PN. and (mtu maximum with size max with size)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 16:29
S80	0	("6047323" "6108699" "6119163" "6192417" "6292905").PN. and (chang\$3 modif\$ adjust\$) with (mtu maximum with size max with size)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 16:29
S79	5	("6047323" "6108699" "6119163" "6192417" "6292905").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/27 16:28
S78	1	S70 and (bit flag)	USPAT	OR	ON	2005/08/27 15:50
S77	0	S70 and datagram same (bit flag)	USPAT	OR	ON	2005/08/27 15:50
S76	0	S70 and datagram with (bit flag)	USPAT	OR	ON	2005/08/27 15:50
S75	0	S70 and fragment same (bit flag)	USPAT	OR	ON	2005/08/27 15:50
S74	0	S70 and fragment with (bit flag)	USPAT	OR	ON	2005/08/27 15:50
S73	0	S70 and generat\$	USPAT	OR	ON	2005/08/27 15:49
S72	0	S70 and fragment\$ same generat\$	USPAT	OR	ON	2005/08/27 15:49
S71	0	S70 and fragment\$ with generat\$	USPAT	OR	ON	2005/08/27 15:49
S70	1	(chang\$3 adjust\$3 modif\$) with (mtu (maximum max) with size) with receiv\$3 adj (node terminal user) and determin\$ with (mtu maximum max size) and (path bus link channel) with mtu	USPAT	OR	ON	2005/08/27 15:49
S69	1	(chang\$3 adjust\$3 modif\$) with (mtu (maximum max) with size) with receiv\$3 adj (node terminal user) and determin\$ and (path bus link channel) with mtu	USPAT	OR	ON	2005/08/27 15:29
S68	1	(chang\$3 adjust\$3 modif\$) with (mtu (maximum max) with size) with receiv\$3 adj (node terminal user) and determin\$	USPAT	OR	ON	2005/08/27 15:15

S62	1	(chang\$3 adjust\$3 modif\$) with (mtu (maximum max) with size) with receiv\$3 adj (node terminal user)	USPAT	OR	ON	2005/08/27 15:14
S59	0	"6212190".pn. and determin\$3 same "Fig. 3"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 15:14
S67	0	S64 and (mtu fragment\$).ti.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 15:10
S66	2	S64 and (mtu fragment\$).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 15:10
S65	2	S64 and mtu.ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 15:10
S64	168	"rfc 792"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:51
S63	0	S62 and fragment with bit	USPAT	OR	ON	2005/08/27 14:36
S61	3	(chang\$3 adjust\$3 modif\$) with (mtu (maximum max) with size) with receiv\$3 adj (node terminal user)	US-PGPUB; USPAT	OR	ON	2005/08/27 14:33
S60	0	"6212190".pn. and determin\$3 and "Fig. 3"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:32
S58	0	"6212190".pn. and determin\$3 with "Fig. 3"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:21
S57	0	"6212190".pn. and analyz\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 14:21

S56	0	"6212190".pn. and analyz\$3 with (mtu size maximum max)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/27 13:51
S55	0	S51 and (stor\$3 buffer\$4) with (maximum mtu max with unit) and (reset\$4 "re-setting" "re-set")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:02
S54	0	S51 and (stor\$3 buffer\$4) with (maximum mtu max with unit) and (reset\$4 "re-setting" "re-set") with (mtu max with unit maximum size)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:02
S53	2	S51 and (stor\$3 buffer\$4) with (maximum mtu max with unit)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:02
S52	0	S51 and (stor\$3 buffer\$4) with fragment	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:01
S51	2	S50 and (generat\$3 separat\$3) with fragment\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 17:00
S50	6	S49 and determin\$3 with (larg\$3 maximum max) adj5 (mtu size)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 16:59
S49	6	(US-20020141448-\$).did. or (US-5892753-\$ or US-5959974-\$ or US-6212190-\$ or US-6327626-\$ or US-6477143-\$ or US-6570849-\$ or US-6574670-\$ or US-6618397-\$ or US-6650652-\$ or US-6891832-\$).did. and determin\$3 with (mtu packet near3 size) and fragment\$3 and (adjust\$3 modif\$9 chang\$3) with (mtu size)	US-PGPUB; USPAT	OR	ON	2005/08/26 16:44

S48	11	(US-20020141448-\$).did. or (US-5892753-\$ or US-5959974-\$ or US-6212190-\$ or US-6327626-\$ or US-6477143-\$ or US-6570849-\$ or US-6574670-\$ or US-6618397-\$ or US-6650652-\$ or US-6891832-\$).did.	US-PGPUB; USPAT	OR	ON	2005/08/26 16:41
S47	3	S46 not S45	USPAT	OR	ON	2005/06/13 15:54
S46	4	(pmtu-d pmtu) same (dynamic\$4 adapt\$5)	USPAT	OR	ON	2005/06/13 15:54
S45	1	(mtu fragment\$7 segment\$7 (packet frame) with size).ab. and determin\$3 with (max\$7 with size mtu) and (fragment\$7 segment\$7) with (packet size unit) and (reset\$4 re-set\$4 re-adjust\$3 readjust\$3 adjust\$3 chang\$3 vary varies) same size and ("don't fragment" "dont fragment") with bit and dynamic\$5 and "6212190". pn.	USPAT	OR	ON	2005/06/13 15:52
S44	1	(mtu fragment\$7 segment\$7 (packet frame) with size).ab. and determin\$3 with (max\$7 with size mtu) and (fragment\$7 segment\$7) with (packet size unit) and (reset\$4 re-set\$4 re-adjust\$3 readjust\$3 adjust\$3 chang\$3 vary varies) same size and ("don't fragment" "dont fragment") with bit	USPAT	OR	ON	2005/06/13 15:39
S27	47	determin\$3 with (max\$7 with size mtu) same (fragment\$7 segment\$7) with (packet size unit) and (transmit\$4 send\$3) same receiv\$3 and (analyz\$3 examin\$3) and (reset\$4 re-set\$4 re-adjust\$3 readjust\$3 adjust\$3 chang\$3)	USPAT	OR	ON	2005/06/13 15:33
S43	4	S42 not S41	USPAT	OR	ON	2005/06/13 15:20
S42	4	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3) and determin\$3 with (mtu packet with (size unit)) and compar\$3 with size	USPAT	OR	ON	2005/06/13 15:20
S41	5	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3) and determin\$3 and (mtu packet with (size unit)) with negotiat\$3	USPAT	OR	ON	2005/06/13 15:18
S40	0	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3) and determin\$3 with (MTU maxim\$5 with (size unit)) and (mtu packet with (size unit)) with negotiat\$3	USPAT	OR	ON	2005/06/13 14:28

S39	2	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3).ab. and determin\$3 and predetermin\$3	USPAT	OR	ON	2005/06/13 14:26
S37	3	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3).ab. and determin\$3	USPAT	OR	ON	2005/06/13 14:23
S38	1	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3).ab. and determin\$3 and compar\$3	USPAT	OR	ON	2005/06/13 14:21
S36	0	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3).ab. and determin\$3 and analyz\$3	USPAT	OR	ON	2005/06/13 14:21
S35	3	mtu with (dynamic\$5 adapti\$5 chang\$3 var\$3).ab.	USPAT	OR	ON	2005/06/13 14:21
S1	78	mtu with packet with size with unit	USPAT	OR	ON	2005/06/13 14:12
S34	0	mtu with "not" with segment\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:11
S33	0	mtu with "not" with fragment\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:11
S32	0	size with "not" with fragment\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:10
S31	0	largest with size with "not" with fragment\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:10
S30	35	S27 not S29	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:10
S29	12	S27 and (mtu fragment\$7 segment\$7 (packet frame) with size).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:55
S28	12	S27 and (mtu fragment\$7 segment\$7).ab.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:55

S26	2	"20030076850".pn. and fragment\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:50
S25	10	S24 not (intel.as. (jason and james).in.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:47
S24	10	((mtu fragment\$7 segment\$7) with (packet size) and (adjust\$3 readjust\$3 re-adjust\$3 re-set\$4 reset\$4 set\$4) with (adapti\$5 dynamic\$4)).ab. and (@ad<"20011022" @rlad<"20011022" @rlan<"20011022" @rlpn<"20011022")	US-PGPUB; USPAT	OR	ON	2005/06/13 09:40
S5	0	mtu with (packet frame) with transmit\$4 with unit same (set resiz\$3 re-siz\$3) with (adapt45 automatic\$5 dynamic\$5 adjust\$3 re-adjust\$3 readjust\$3) same fragment\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 09:37
S23	23	S21 not S22	USPAT	OR	ON	2005/06/13 09:28
S22	2	S21 and (reset\$4 re-set\$4 adjust\$3) with (mtu siz\$3 with unit siz\$3)	USPAT	OR	ON	2005/06/13 09:28
S21	25	S20 and analyz\$3 with (packet siz\$3 mtu)	USPAT	OR	ON	2005/06/13 09:28
S15	2	S13 and (reset\$4 re-set\$4 adjust\$3) with (mtu siz\$3 with unit siz\$3)	USPAT	OR	ON	2005/06/13 09:28
S20	25	S17 and analyz\$3 with (packet siz\$3 mtu)	USPAT	OR	ON	2005/06/13 09:27
S19	25	S17 and analyz\$3 with (packet siz\$3)	USPAT	OR	ON	2005/06/13 09:27
S18	25	S17 and analyz\$3 with packet	USPAT	OR	ON	2005/06/13 09:27
S17	38	S11 and (analyz\$3 fragment\$7 segment\$7) with packet	USPAT	OR	ON	2005/06/13 09:26
S13	25	S11 and analyz\$3 with packet	USPAT	OR	ON	2005/06/13 09:26
S12	33	S11 and (analyz\$3 fragment\$7) with packet	USPAT	OR	ON	2005/06/13 09:26
S16	2	S13 and (reset\$4 re-set\$4 adjust\$3) with (mtu siz\$3 with unit siz\$3) and fragment\$7	USPAT	OR	ON	2005/06/13 09:25

S14	0	S13 and (reset\$4 re-set\$4 adjust\$3) with (mtu siz\$3 with unit)	USPAT	OR	ON	2005/06/13 09:12
S11	39	S10 and ((determin\$3 decid\$3) with packet with siz\$3 packet\$7 with size with (predetermin\$3 pre-determin\$3))	USPAT	OR	ON	2005/06/13 09:10
S10	78	mtu with packet with size with unit	USPAT	OR	ON	2005/06/13 09:10
S9	0	(james and jason).as. and (packet with size with unit fragment\$7)	USPAT	OR	ON	2005/06/13 08:25
S8	0	("6636520" "6728243").pn. and (packet with size with unit fragment\$7)	USPAT	OR	ON	2005/06/13 08:25
S7	72	(mtu (packet frame) with transmit\$4 with unit) and (set resiz\$3 re-siz\$3) with (adapt45 automatic\$5 dynamic\$5 adjust\$3 re-adjust\$3 readjust\$3 fragment\$5 segment\$5).ab.	USPAT	OR	ON	2005/06/08 16:39
S6	2	(mtu (packet frame) with transmit\$4 with unit) same (set resiz\$3 re-siz\$3) with (adapt45 automatic\$5 dynamic\$5 adjust\$3 re-adjust\$3 readjust\$3) same fragment\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/08 16:39
S4	0	mtu with packet with transmit\$4 with unit same (set resiz\$3 re-siz\$3) with (adapt45 automatic\$5 dynamic\$5 adjust\$3 re-adjust\$3 readjust\$3) same fragment\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/08 16:36
S3	0	mtu with packet with transmit\$4 with unit same (set resiz\$3 re-siz\$3) with (adapt45 automatic\$5 dynamic\$5 adjust\$3 re-adjust\$3 readjust\$3) same fragment\$5	US-PGPUB; USPAT	OR	ON	2005/06/08 16:36
S2	0	mtu with packet with transmit\$4 with unit same (set resiz\$3 re-siz\$3) with (adapt45 automatic\$5 dynamic\$5 adjust\$3 re-adjust\$3 readjust\$3) same fragment\$5	USPAT	OR	ON	2005/06/08 16:36